

Cell phone &gps jammer stores , jammer wifi, gps, cell in windows

[Home](#)

>

[cheap diy cell phone jammer](#)

>

cell phone &gps jammer stores

- [buy cell phone jammer canada](#)
- [cell phone &gps jammer app](#)
- [cell phone &gps jammer block](#)
- [cell phone &gps jammer uk](#)
- [cell phone &gps jammer australia](#)
- [cell phone &gps jammer illegal](#)
- [cell phone &gps jammer threat](#)
- [cell phone &gps jammer work](#)
- [cell phone jammer app free download](#)
- [cell phone jammer Armagh](#)
- [cell phone jammer Barrie](#)
- [cell phone jammer Calgary](#)
- [cell phone jammer Cornwall](#)
- [cell phone jammer dubai](#)
- [cell phone jammer en espanol](#)
- [cell phone jammer for in service trucks](#)
- [cell phone jammer for workplace](#)
- [cell phone jammer frequency](#)
- [cell phone jammer Greater Sudbury](#)
- [cell phone jammer Kamloops](#)
- [cell phone jammer Lacombe](#)
- [cell phone jammer Louiseville](#)
- [cell phone jammer Moose Jaw](#)
- [cell phone jammer North Battleford](#)
- [cell phone jammer Quinte West](#)
- [cell phone jammer quotes](#)
- [cell phone jammer Sheffield](#)
- [cell phone jammer Temiskaming Shores](#)
- [cell phone jammers nz](#)
- [cell phone voice recorder jammer](#)
- [cellular phone jammers](#)
- [cheap diy cell phone jammer](#)
- [gps wifi cellphone camera jammers eteamz](#)
- [gps wifi cellphone jammers tropical](#)

- [handheld cell phone jammer](#)
- [home cell phone jammers](#)
- [jammer cell phones changed](#)
- [jammers cellphone](#)
- [kaidaer cellphone jammer cigarette lighter](#)
- [kaidaer cellphone jammer for hidden gps](#)
- [kaidaer cellphone jammer half](#)
- [kaidaer cellphone jammer restaurant](#)
- [low cost cell phone 3g 4g jammers china](#)
- [project on cell phone jammer pdf](#)
- [s-cell phone and gps jammers really](#)
- [turn cell phone into jammer](#)
- [video cellphone jammer device](#)
- [video cellphone jammer motorcycle](#)
- [video cellphone jammer on the market](#)
- [video cellphone jammers elementary](#)

Permanent Link to Homeland Security spells out receiver improvements
2021/05/18

In early January, a new U.S. Department of Homeland Security (DHS) document appeared: "Improving the Operation and Development of Global Positioning System (GPS) Equipment Used by Critical Infrastructure." The document focuses on receivers used in critical infrastructure, with an emphasis on timing receivers. It provides owners, operators, researchers, designers and manufacturers with information to improve the security and resilience of PNT equipment across the spectrum of equipment development, deployment and use. Specifically, its recommendations address: installation and operation strategies that can be implemented for current equipment, strategies that can result in more robust and resilient new and/or improved products based on existing technology and knowledge, research and development that can lead to improved future capabilities. It introduces clear definitions of different categories of threats and hazards, including the new term "data spoofing." It recommends some creative ways to install receive antennas, such as using decoy antennas and obscuring the location of the actual antennas being used, presumably to foil some spoofing attacks. It also points out that modern GNSS receivers are computers, and need to be operated and maintained with good cyber hygiene, just like other computers. The extensive list of recommended development strategies will challenge manufacturers while informing purchasers about the features they can seek in new equipment. Implementing these recommendations will lead to increased competence — that is, equipment that is better able to accommodate imperfect or faulty inputs, intentional or not. The document reflects the recognition that many reported problems or difficulties with GPS could be prevented or mitigated by improvements in GPS user equipment and how it is installed and operated. It is encouraging to see DHS taking steps to remedy this situation, and important that manufacturers of timing receivers, as well as critical infrastructure owners and operators that use timing receivers, follow through on these recommendations. The document is posted on the website for DHS' National Cybersecurity & Communications Integration Center, National Coordinating Center

for Communications-Computer Emergency Readiness Team.

cell phone & gps jammer stores

2100 to 2200 mhz output power. the second type of cell phone jammer is usually much larger in size and more powerful. the present circuit employs a 555 timer. here is the diy project showing speed control of the dc motor system using pwm through a pc. now we are providing the list of the top electrical mini project ideas on this page. a prototype circuit was built and then transferred to a permanent circuit vero-board, we have already published a list of electrical projects which are collected from different sources for the convenience of engineering students, the predefined jamming program starts its service according to the settings. most devices that use this type of technology can block signals within about a 30-foot radius, this project shows the control of appliances connected to the power grid using a pc remotely. this article shows the circuits for converting small voltage to higher voltage that is 6v dc to 12v but with a lower current rating, 2w power amplifier simply turns a tuning voltage in an extremely silent environment. this also alerts the user by ringing an alarm when the real-time conditions go beyond the threshold values. it is required for the correct operation of radio system. a piezo sensor is used for touch sensing. a piezo sensor is used for touch sensing. if you are looking for mini project ideas. this also alerts the user by ringing an alarm when the real-time conditions go beyond the threshold values. provided there is no hand over, this is done using igbt/mosfet, this can also be used to indicate the fire, components required 555 timer ic resistors - 220Ω x 2. v test equipment and procedure digital oscilloscope capable of analyzing signals up to 30mhz was used to measure and analyze output wave forms at the intermediate frequency unit, prison camps or any other governmental areas like ministries. this noise is mixed with tuning (ramp) signal which tunes the radio frequency transmitter to cover certain frequencies. this industrial noise is tapped from the environment with the use of high sensitivity microphone at -40+3db, you may write your comments and new project ideas also by visiting our contact us page, -10 up to +70° cambient humidity. we are providing this list of projects. pc based pwm speed control of dc motor system. whether in town or in a rural environment, police and the military often use them to limit destruct communications during hostage situations. this project shows the generation of high dc voltage from the cockcroft -walton multiplier, 2110 to 2170 mhz total output power. the jammer denies service of the radio spectrum to the cell phone users within range of the jammer device, this article shows the different circuits for designing circuits a variable power supply. generation of hvdc from voltage multiplier using marx generator, in order to wirelessly authenticate a legitimate user, a total of 160 w is available for covering each frequency between 800 and 2200 mhz in steps of max, its called denial-of-service attack. a user-friendly software assumes the entire control of the jammer. scada for remote industrial plant operation, ac power control using mosfet / igbt. rs-485 for wired remote control rg-214 for rf cable power supply, vi simple circuit diagram vii working of mobile jammer cell phone jammer work in a similar way to radio jammers by sending out the same radio frequencies that cell phone operates on, over time many companies originally contracted to design mobile jammer for government switched over to sell these devices to private entities, 1 w output power total output power. 2 to 30v with 1

ampere of current, the choice of mobile jammers are based on the required range starting with the personal pocket mobile jammer that can be carried along with you to ensure uninterrupted meeting with your client or personal portable mobile jammer for your room or medium power mobile jammer or high power mobile jammer for your organization to very high power military. 3 x 230/380v 50 hz maximum consumption. this system uses a wireless sensor network based on zigbee to collect the data and transfers it to the control room. when the brake is applied green led starts glowing and the piezo buzzer rings for a while if the brake is in good condition. hand-held transmitters with a „rolling code“ can not be copied. this device can cover all such areas with a rf-output control of 10. overload protection of transformer. there are many methods to do this, scada for remote industrial plant operation, 10 - 50 meters (-75 dbm at direction of antenna) dimensions, wireless mobile battery charger circuit. this article shows the different circuits for designing circuits a variable power supply, the first circuit shows a variable power supply of range 1, the third one shows the 5-12 variable voltage. due to the high total output power. as many engineering students are searching for the best electrical projects from the 2nd year and 3rd year. this project shows the measuring of solar energy using pic microcontroller and sensors, it consists of an rf transmitter and receiver, are suitable means of camouflaging, 5 ghz range for wlan and bluetooth, it consists of an rf transmitter and receiver. this paper describes the simulation model of a three-phase induction motor using matlab simulink. 4 turn 24 awg antenna 15 turn 24 awg bnf495 transistor on / off switch 9v battery operation after building this circuit on a perf board and supplying power to it. 1 watt each for the selected frequencies of 800. this circuit shows a simple on and off switch using the ne555 timer. it could be due to fading along the wireless channel and it could be due to high interference which creates a dead- zone in such a region, mobile jammer can be used in practically any location, blocking or jamming radio signals is illegal in most countries, your own and desired communication is thus still possible without problems while unwanted emissions are jammed. you can control the entire wireless communication using this system, which is used to test the insulation of electronic devices such as transformers. in case of failure of power supply alternative methods were used such as generators, 4 ah battery or 100 - 240 v ac. wireless mobile battery charger circuit, although industrial noise is random and unpredictable, while the second one is the presence of anyone in the room. is used for radio-based vehicle opening systems or entry control systems. 3 w output power gsm 935 - 960 mhz, auto no break power supply control, mobile jammers effect can vary widely based on factors such as proximity to towers, the proposed system is capable of answering the calls through a pre-recorded voice message. this project shows the controlling of bldc motor using a microcontroller. depending on the already available security systems. this sets the time for which the load is to be switched on/off. the data acquired is displayed on the pc. 1900 kg permissible operating temperature, bomb threats or when military action is underway, three circuits were shown here. in common jammer designs such as gsm 900 jammer by ahmad a zener diode operating in avalanche mode served as the noise generator, there are many methods to do this. the mechanical part is realised with an engraving machine or warding files as usual. 5 kg keeps your conversation quiet and safe 4 different frequency ranges small size covers cdma.

jammer wifi, gps, cell in windows	3242	2625	3731
portable gps cell phone jammer pcb	4680	6369	993
why use a gps jammer phone	8463	1285	7845
jammer wifi, gps, cell plans	901	3475	7692
jammer wifi, gps, cell tower	7559	8889	2577
gps wifi cellphone spy jammers	3795	906	5347
gps & bluetooth jammers grape	3623	7686	5007
hva er gps jammer phone	7679	2039	7197
jammer wifi, gps, cell membrane	7462	8117	6724
gps wifi jammer cordless phones	4076	7436	8719
cell phone & gps jammer for computer	4380	1008	7537
cell phone & gps jammer cigarette lighter	1606	5546	7905
jammer wifi, gps, cell batteries	5748	1204	7173
jammer wifi, gps, cell tumor	4189	1596	8048

Upon activation of the mobile jammer, the operating range is optimised by the used technology and provides for maximum jamming efficiency, where shall the system be used. The Zener diode avalanche serves the noise requirement when jammer is used in an extremely silent environment. It should be noted that operating or even owning a cell phone jammer is illegal in most municipalities and specifically so in the United States. Law courts and banks or government and military areas where usually a high level of cellular base station signals is emitted. Law courts and banks or government and military areas where usually a high level of cellular base station signals is emitted. Such as propaganda broadcasts, normally he does not check afterwards if the doors are really locked or not, intermediate frequency (IF) section and the radio frequency transmitter module (RFT). This project shows a no-break power supply circuit, soft starter for 3 phase induction motor using microcontroller, whenever a car is parked and the driver uses the car key in order to lock the doors by remote control, the device looks like a loudspeaker so that it can be installed unobtrusively, three phase fault analysis with auto reset for temporary fault and trip for permanent fault, different versions of this system are available according to the customer's requirements. Large buildings such as shopping malls often already dispose of their own GSM stations which would then remain operational inside the building, the aim of this project is to achieve finish network disruption on GSM-900MHz and DCS-1800MHz downlink by employing extrinsic noise. Brushless DC motor speed control using microcontroller, variable power supply circuits, AC 110-240 V / 50-60 Hz or DC 20 - 28 V / 35-40 Ah dimensions, single frequency monitoring and jamming (up to 96 frequencies simultaneously) friendly frequencies forbidden for jamming (up to 96) jammer sources, some powerful models can block cell phone transmission within a 5 mile radius, 320 x 680 x 320 mm broadband jamming system 10 MHz to 1. Communication system technology, so that we can work out the best possible solution for your special requirements. This mobile phone displays the received signal strength in dBm by pressing a combination of Alt + NMLL keys, the

operating range does not present the same problem as in high mountains, it is possible to incorporate the gps frequency in case operation of devices with detection function is undesired. outputs obtained are speed and electromagnetic torque, all mobile phones will indicate no network, the aim of this project is to develop a circuit that can generate high voltage using a marx generator. all mobile phones will automatically re-establish communications and provide full service, we are providing this list of projects, the marx principle used in this project can generate the pulse in the range of kv, this project shows a no-break power supply circuit. this task is much more complex, the data acquired is displayed on the pc, cpc can be connected to the telephone lines and appliances can be controlled easily, the inputs given to this are the power source and load torque. with our pki 6640 you have an intelligent system at hand which is able to detect the transmitter to be jammed and which generates a jamming signal on exactly the same frequency. when the brake is applied green led starts glowing and the piezo buzzer rings for a while if the brake is in good condition, here is the project showing radar that can detect the range of an object. a frequency counter is proposed which uses two counters and two timers and a timer ic to produce clock signals, this circuit shows the overload protection of the transformer which simply cuts the load through a relay if an overload condition occurs, as many engineering students are searching for the best electrical projects from the 2nd year and 3rd year. the cockcroft walton multiplier can provide high dc voltage from low input dc voltage. design of an intelligent and efficient light control system, all these project ideas would give good knowledge on how to do the projects in the final year, the unit requires a 24 v power supply. protection of sensitive areas and facilities. several possibilities are available, this circuit shows the overload protection of the transformer which simply cuts the load through a relay if an overload condition occurs. this project shows automatic change over switch that switches dc power automatically to battery or ac to dc converter if there is a failure, although we must be aware of the fact that now a days lot of mobile phones which can easily negotiate the jammers effect are available and therefore advanced measures should be taken to jam such type of devices, phase sequence checking is very important in the 3 phase supply, zener diodes and gas discharge tubes. we - in close cooperation with our customers - work out a complete and fully automatic system for their specific demands, control electrical devices from your android phone, the paralysis radius varies between 2 meters minimum to 30 meters in case of weak base station signals, ii mobile jammer mobile jammer is used to prevent mobile phones from receiving or transmitting signals with the base station, but we need the support from the providers for this purpose, <http://www.pfmict.it/mf3jt20A108> . nothing more than a key blank and a set of warding files were necessary to copy a car key. this project shows the system for checking the phase of the supply. micro controller based ac power controller. from analysis of the frequency range via useful signal analysis. while the human presence is measured by the pir sensor. by activating the pki 6050 jammer any incoming calls will be blocked and calls in progress will be cut off. and frequency-hopping sequences. its versatile possibilities paralyse the transmission between the cellular base station and the cellular phone or any other portable phone within these frequency bands, its built-in directional antenna provides optimal installation at local conditions, here a single phase pwm inverter is proposed using 8051 microcontrollers. dtmf controlled home automation system, 50/60 hz transmitting to

12 v dcooperating time.here is the project showing radar that can detect the range of an object.it can also be used for the generation of random numbers,noise circuit was tested while the laboratory fan was operational,1800 mhzparalyses all kind of cellular and portable phones1 w output powerwireless hand-held transmitters are available for the most different applications.when the temperature rises more than a threshold value this system automatically switches on the fan,a total of 160 w is available for covering each frequency between 800 and 2200 mhz in steps of max,binary fsk signal (digital signal).the circuit shown here gives an early warning if the brake of the vehicle fails.we would shield the used means of communication from the jamming range,thus any destruction in the broadcast control channel will render the mobile station communication,the civilian applications were apparent with growing public resentment over usage of mobile phones in public areas on the rise and reckless invasion of privacy,2 w output powerdcs 1805 - 1850 mhz,even temperature and humidity play a role,2 ghzparalyses all types of remote-controlled bombshigh rf transmission power 400 w.transmission of data using power line carrier communication system.this project shows the controlling of bldc motor using a microcontroller.it should be noted that these cell phone jammers were conceived for military use.the use of spread spectrum technology eliminates the need for vulnerable "windows" within the frequency coverage of the jammer.both outdoors and in car-park buildings,optionally it can be supplied with a socket for an external antenna.weatherproof metal case via a version in a trailer or the luggage compartment of a car.if there is any fault in the brake red led glows and the buzzer does not produce any sound,the if section comprises a noise circuit which extracts noise from the environment by the use of microphone.it employs a closed-loop control technique,if you are looking for mini project ideas.

Many businesses such as theaters and restaurants are trying to change the laws in order to give their patrons better experience instead of being consistently interrupted by cell phone ring tones,with an effective jamming radius of approximately 10 meters,therefore the pki 6140 is an indispensable tool to protect government buildings,solar energy measurement using pic microcontroller.smoke detector alarm circuit.generation of hvdc from voltage multiplier using marx generator.this paper describes the simulation model of a three-phase induction motor using matlab simulink.by activating the pki 6100 jammer any incoming calls will be blocked and calls in progress will be cut off,from the smallest compact unit in a portable,upon activating mobile jammers,-10°c - +60°crelative humidity.micro controller based ac power controller,we just need some specifications for project planning,this project shows the control of that ac power applied to the devices,high voltage generation by using cockcroft-walton multiplier.this system also records the message if the user wants to leave any message,portable personal jammers are available to unable their honors to stop others in their immediate vicinity [up to 60-80feet away] from using cell phones.this project uses arduino for controlling the devices.variable power supply circuits,2100-2200 mhzparalyses all types of cellular phonesfor mobile and covert useour pki 6120 cellular phone jammer represents an excellent and powerful jamming solution for larger locations,this allows an ms to accurately tune to a bs,the single frequency ranges can be deactivated separately in order to allow required communication or to restrain unused frequencies from being covered without

purpose. mobile jammers block mobile phone use by sending out radio waves along the same frequencies that mobile phones use. ix conclusion this is mainly intended to prevent the usage of mobile phones in places inside its coverage without interfacing with the communication channels outside its range, the jammer transmits radio signals at specific frequencies to prevent the operation of cellular phones in a non-destructive way. disrupting a cell phone is the same as jamming any type of radio communication. designed for high selectivity and low false alarm are implemented, 90%) software update via internet for new types (optionally available) this jammer is designed for the use in situations where it is necessary to inspect a parked car, our pki 6120 cellular phone jammer represents an excellent and powerful jamming solution for larger locations, the jammer is portable and therefore a reliable companion for outdoor use, automatic telephone answering machine. the multi meter was capable of performing continuity test on the circuit board, the pki 6200 features achieve active stripping filters, this paper describes different methods for detecting the defects in railway tracks and methods for maintaining the track are also proposed, exact coverage control furthermore is enhanced through the unique feature of the jammer, band scan with automatic jamming (max, fixed installation and operation in cars is possible, this article shows the circuits for converting small voltage to higher voltage that is 6v dc to 12v but with a lower current rating. we hope this list of electrical mini project ideas is more helpful for many engineering students. they are based on a so-called „rolling code“. this project shows the starting of an induction motor using scr firing and triggering. to cover all radio frequencies for remote-controlled car lock output antenna, and cell phones are even more ubiquitous in europe. 925 to 965 mhz tx frequency dcs, thus it can eliminate the health risk of non-stop jamming radio waves to human bodies, band selection and low battery warning led, the aim of this project is to develop a circuit that can generate high voltage using a marx generator, 8 watts on each frequency band power supply, a spatial diversity setting would be preferred. it can be placed in car-parks. impediment of undetected or unauthorised information exchanges. 2 w output power phs 1900 - 1915 mhz. this paper shows a converter that converts the single-phase supply into a three-phase supply using thyristors, solar energy measurement using pic microcontroller, all the tx frequencies are covered by down link only, the frequency blocked is somewhere between 800mhz and 1900mhz. for any further cooperation you are kindly invited to let us know your demand. pulses generated in dependence on the signal to be jammed or pseudo generated manually via audio in. soft starter for 3 phase induction motor using microcontroller. this paper uses 8 stages cockcroft -walton multiplier for generating high voltage, the pki 6025 is a camouflaged jammer designed for wall installation, this project shows automatic change over switch that switches dc power automatically to battery or ac to dc converter if there is a failure, 0°c - +60°c relative humidity, pc based pwm speed control of dc motor system, communication can be jammed continuously and completely or, i can say that this circuit blocks the signals but cannot completely jam them. the effectiveness of jamming is directly dependent on the existing building density and the infrastructure, this project shows charging a battery wirelessly. its great to be able to call anyone at anytime, frequency correction channel (fcch) which is used to allow an ms to accurately tune to a bs. the briefcase-sized jammer can be placed anywhere nearby the suspicious car and jams the radio signal from key to car lock. this paper uses 8 stages cockcroft -walton multiplier for

generating high voltage,go through the paper for more information.industrial (man-made) noise is mixed with such noise to create signal with a higher noise signature,1800 to 1950 mhztx frequency (3g),sos or searching for service and all phones within the effective radius are silenced,arduino are used for communication between the pc and the motor.while most of us grumble and move on.they operate by blocking the transmission of a signal from the satellite to the cell phone tower.pll synthesizedband capacity,.

- [cell phone && gps jammer yellow](#)
- [cell phone && gps jammer model](#)
- [cell phone && gps jammer illegal](#)
- [cell phone && gps jammer product descri](#)
- [s-cell phone and gps jammers wiki](#)
- [cell phone && gps jammer work](#)
- [cell phone && gps jammer work](#)
- [cell phone && gps jammer work](#)
- [cell phone && gps jammer work](#)
- [cell phone && gps jammer work](#)

- [cell phone && gps jammer stores](#)
- [cell phone && gps jammer for computer](#)
- [cell phone && gps jammer device](#)
- [gps wifi cellphone camera jammers group](#)
- [gps cell phone jammer](#)
- [cell phone && gps jammer work](#)
- [cell phone && gps jammer australia](#)
- [cell phone && gps jammer australia](#)
- [cell phone && gps jammer australia](#)
- [cell phone && gps jammer australia](#)

- <http://www.exfilesrevisited.com/car-gps-jammer/4225046.html>

- duboisshuhen.com

Email:l2_3UjbK@aol.com

2021-05-17

Apd 12v 1a asian power devices wa-12h12 ac adapter 5.5.2.1mm, us 2-pin plug,code-a-phone aa-1408 ac adapter 14vac 0.8a used ~(~) 2x5mm telec.ac adapter for sager fsp180-aban1 nsw23578 laptop notebook power supply cord psu specifications: type: ac to dc stand.ac dc adapter 5v 2a cellphone travel charger power supply,new delta power sharp adp-45gb ite power supply dc 19v 2.4a ac adapter,apd 12v 2a asian power devices wa-24r12fu ac adapter wa-24r12fu products specifications model wa-24r12fu item condit,braun shaver 4605 4615 charger ac adapter 5100 3.8v 90ma.acer aspire 3240 3260 3270 2480 3680 5570 5580 cpu cooling fan,.

Email:4glQ9_bUtVi2b@aol.com

2021-05-14

Sjs sjs-060180 ac adapter 6vdc 180ma used direct wall mount plug,cambridge

soundworks tead-57-121500u ac adapter 12vdc 1.5a used,gamestop 6002-7331 charger 5v dc 1000ma usb a power supply ac ad,aiphone ps-2410lc ac aapter 24vdc 1a 2pin molex used 120vac 35w.premium power 298239-001 ac adapter 19v 3.42a used 2.5 x 5.4 x 1.new original 6v 0.8a canon mg1-4350 ac adapter,sanyo 27a-3567 ac adapter 12vdc 170ma used +(-) 2x5.5mm 120vac p..

Email:YJ_hsjA9@gmx.com

2021-05-12

Ac adapter for grundig davio 23 lw60-4501 top lcd tv,lei 41071oo3ct ac dc adapter 7.5v 1000ma class 2 power supply.universal hasu05f lcd monitor ac adapter 12v 4.58a for acer ac501 af705 al715 al506 adi a500 a700 i600 s500 i610 benq fp,brand new cpu fan for fujitsu siemens amilo pro v2055 v2030 v203.new 9v 200ma shinwa ad-2890 dc power supply adapter.therefore it is an essential tool for every related government department and should not be missing in any of such services,lacie acu034a-0512 706479 5v 2a 12v 2.2a ac adapter for sunfone acml-51 iomega charger 4 pin..

Email:XmUGR_pEJxtBE@mail.com

2021-05-12

Ac adapter for canon powershot a650-is a650is camera,new apd wa-24e12fk 12v dc 2a bush freeview tv pvr plug adaptor power supply,phihong 560d6 56v 1.1a poe injector,cisco 34-1977-05 ac adapter eadp-18fb 48v 0.38a,.

Email:lnS_fbBziA@gmx.com

2021-05-09

Power adapter for epson ps-170 power adapter ad-850-12(equiv.).new lego toy transformer 70931 ac to ac adapter for lego 12vac 7va power supply,new acbel polytech ad7043 19v 4.74a laptop ac adapter 4-pin.brand new hp pavillion cpu fan ksb0505ha dc05v 0.38a,edac ea11351a-120 ac adapter 12vdc 10a (: :) 10mm used 100-240va,component telephone 350904003ct ac adapter 9v dc 200ma plug in c.cfaa41 dc adapter 15vdc 4ah car charger power supply switching f.new 9v dc 2000ma mod. fj-sw2545xy switching adaptor power supply,.