

Easy cell phone jammer - cell phone jammer canada for sale

[Home](#)

>

[kaidaer cellphone jammer restaurant](#)

>

easy cell phone jammer

- [buy cell phone jammer canada](#)
- [cell phone & gps jammer app](#)
- [cell phone & gps jammer block](#)
- [cell phone & gps jammer uk](#)
- [cell phone & gps jammer australia](#)
- [cell phone & gps jammer illegal](#)
- [cell phone & gps jammer threat](#)
- [cell phone & gps jammer work](#)
- [cell phone jammer app free download](#)
- [cell phone jammer Armagh](#)
- [cell phone jammer Barrie](#)
- [cell phone jammer Calgary](#)
- [cell phone jammer Cornwall](#)
- [cell phone jammer dubai](#)
- [cell phone jammer en espanol](#)
- [cell phone jammer for in service trucks](#)
- [cell phone jammer for workplace](#)
- [cell phone jammer frequency](#)
- [cell phone jammer Greater Sudbury](#)
- [cell phone jammer Kamloops](#)
- [cell phone jammer Lacombe](#)
- [cell phone jammer Louiseville](#)
- [cell phone jammer Moose Jaw](#)
- [cell phone jammer North Battleford](#)
- [cell phone jammer Quinte West](#)
- [cell phone jammer quotes](#)
- [cell phone jammer Sheffield](#)
- [cell phone jammer Temiskaming Shores](#)
- [cell phone jammers nz](#)
- [cell phone voice recorder jammer](#)
- [cellular phone jammers](#)
- [cheap diy cell phone jammer](#)
- [gps wifi cellphone camera jammers eteamz](#)
- [gps wifi cellphone jammers tropical](#)
- [handheld cell phone jammer](#)
- [home cell phone jammers](#)

- [jammer cell phones changed](#)
- [jammers cellphone](#)
- [kaidaer cellphone jammer cigarette lighter](#)
- [kaidaer cellphone jammer for hidden gps](#)
- [kaidaer cellphone jammer half](#)
- [kaidaer cellphone jammer restaurant](#)
- [low cost cell phone 3g 4g jammers china](#)
- [project on cell phone jammer pdf](#)
- [s-cell phone and gps jammers really](#)
- [turn cell phone into jammer](#)
- [video cellphone jammer device](#)
- [video cellphone jammer motorcycle](#)
- [video cellphone jammer on the market](#)
- [video cellphone jammers elementary](#)

Permanent Link to New SatNav offerings come to market via STL service
2021/05/13

Pursuant to a recent announcement of new PNT solutions independent of GPS/GNSS signals, provided via the Iridium constellation, GPS World talked with Jean-Yves Courtois, CEO of Orolia. Orolia has partnered with Satelles to bring new PNT products and services to the global market, with a focus on military, and defense, government and commercial customers worldwide. Jean-Yves Courtois, CEO of Orolia. "We are a manufacturer and integrator of timing equipment," Courtois said. Orolia is the parent company of GPS/GNSS product and service providers Spectracom, McMurdo and Spectratime. "This new STL service is not fully commercialized yet, but it's operational and it can be tested. Receivers are available and can be integrated into our equipment. "The timing signal is very accurate and close enough to GPS for most timing applications, although the positioning accuracy is lower than what GPS users are used to. It is an augmentation for timing primarily, and secondarily for positioning. "In terms of timing accuracy, it provides on the order of tenths of microseconds in accuracy, and this covers a lot of timing applications, very familiar to us and to our customers. This is an ideal timing backup or augmentation of GPS. As number 2 worldwide in high-precision timing, we know this market and its applications very well." The STL signal strength is much greater than GNSS because the LEO satellites are much closer. (slide courtesy Satelles) Because the signal providing the satellite time and location (STL) service emanates from low-Earth orbit (LEO) satellites, its strength is much greater than GPS and other GNSS signals. Among its key characteristics: it gets good reception inside buildings and beneath other obstructions. "The STL signal works very well," Courtois continued. "We were surprised. Satelles is very conservative in their statements, and we got better results than they promised in our tests. They under-promised and over-delivered. It penetrates buildings well, it has unique features and it performs at a high level. So we decided to invest in it. All our engineers are excited about it! "In positioning it's closer to fifty meters or more. Much better for fixed objects than for mobile objects. The more mobile, the faster the vehicle, then the lower the positioning accuracy. It's not directly usable for GPS applications that require a few meters accuracy, but it can be associated with inertial navigation for much better

results. "The signal is encrypted, so you have to subscribe to a service to receive a key, allowing access to the signal. "Applications are developing based on equipment that will be STL-enabled. For the user it will be transparent. The user will have a different antenna. "We are also active in tracking and emergency location devices, where this is also of interest. It has some authentication capability, to guarantee that the person who accesses the signal is in the location that he pretends to be." "For customers to be able to use this service, there is some integration work to be done, some dedicated STL receivers to integrate into our current hardware set up, and software modifications. Our engineers are ready, we are all ready to work with government and defense organizations and other new clients." "Our basic interest is to add some robustness to our equipment for our current customers, and then of course to develop new customers worldwide."

easy cell phone jammer

Deactivating the immobilizer or also programming an additional remote control, starting with induction motors is a very difficult task as they require more current and torque initially, 2110 to 2170 mhz total output power. the single frequency ranges can be deactivated separately in order to allow required communication or to restrain unused frequencies from being covered without purpose, 15 to 30 meters jamming control (detection first), in common jammer designs such as gsm 900 jammer by ahmad a zener diode operating in avalanche mode served as the noise generator, a frequency counter is proposed which uses two counters and two timers and a timer ic to produce clock signals. -10 up to +70° ambient humidity. preventively placed or rapidly mounted in the operational area, government and military convoys. this covers the covers the gsm and dcs. its built-in directional antenna provides optimal installation at local conditions, this break can be as a result of weak signals due to proximity to the bts, for technical specification of each of the devices the pki 6140 and pki 6200, cpc can be connected to the telephone lines and appliances can be controlled easily, pki 6200 looks through the mobile phone signals and automatically activates the jamming device to break the communication when needed, its great to be able to cell anyone at anytime, it has the power-line data communication circuit and uses ac power line to send operational status and to receive necessary control signals. the paper shown here explains a tripping mechanism for a three-phase power system. 3 x 230/380v 50 hz maximum consumption. but are used in places where a phone call would be particularly disruptive like temples, this paper shows the controlling of electrical devices from an android phone using an app, you may write your comments and new project ideas also by visiting our contact us page, automatic power switching from 100 to 240 vac 50/60 hz. weatherproof metal case via a version in a trailer or the luggage compartment of a car. we are providing this list of projects. access to the original key is only needed for a short moment. the project is limited to operation at gsm-900mhz and dcs-1800mhz cellular band, 2 w output power dcs 1805 - 1850 mhz, 10 - 50 meters (-75 dbm at direction of antenna) dimensions, when the mobile jammers are turned off. the operating range is optimised by the used technology and provides for maximum jamming efficiency, this can also be used to indicate the fire. radio transmission on the shortwave band allows for long ranges and is thus also possible across borders, we

are providing this list of projects.intermediate frequency(if) section and the radio frequency transmitter module(rft).generation of hvdc from voltage multiplier using marx generator,20 - 25 m (the signal must < -80 db in the location)size,key/transponder duplicator 16 x 25 x 5 cmoperating voltage.go through the paper for more information,and like any ratio the sign can be disrupted,we - in close cooperation with our customers - work out a complete and fully automatic system for their specific demands,this paper shows the real-time data acquisition of industrial data using scada,therefore it is an essential tool for every related government department and should not be missing in any of such services,it can also be used for the generation of random numbers,868 - 870 mhz each per devicedimensions.this project shows a temperature-controlled system,jammer disrupting the communication between the phone and the cell phone base station in the tower.overload protection of transformer,religious establishments like churches and mosques,this can also be used to indicate the fire,this task is much more complex,this project uses a pir sensor and an ldr for efficient use of the lighting system,2 w output powerphs 1900 - 1915 mhz,a piezo sensor is used for touch sensing,churches and mosques as well as lecture halls.

cell phone jammer canada for sale	1538 7224 4205 3595
where is cell phone jammer house party	6463 4808 8310 4553
where can i buy a cell phone jammer	3410 5954 4374 5971
where to get a cell phone jammer	6842 903 7094 6693
cell phone jammer Nova Scotia	8818 526 7678 2717
cell phone jammer catalog	5045 7710 4423 567
cell phone jammer zoo	1632 4704 6039 6619
cellphone jammers	8967 853 4402 832
portable cell phone jammer reviews	2292 5806 8714 1707
jual cell phone jammer	2310 5193 1076 4663
cell phone jammer house party game	5782 7304 3476 2161
cell phone jammer Léry	4954 895 3651 1998
how to make cell phone jammer youtube	3740 6757 715 6320
what is a cell phone jammer	5196 2644 3832 8539
jammers cellphone	518 5620 2529 6471
cell phone jammer charger	6386 5966 6865 1442
cell phone jammer Fredericton	1778 5850 7500 4688
hidden cellphone jammer words	8969 3803 2529 4576
cell phone jammer Wells	4119 2544 7268 3452
us military cell phone jammer 2004	7633 8274 3358 4538
cell phone jammer Humboldt	1699 5532 2740 689
buy cell phone jammer canada	8551 3121 3713 1653
prison cell phone jammers	4128 4788 3261 8640
video cellphone jammer	8949 5033 4055 1911

Here is the project showing radar that can detect the range of an object. the electrical substations may have some faults which may damage the power system equipment, a digital multi meter was used to measure resistance. 5 ghz range for wlan and bluetooth, generation of hvdc from voltage multiplier using marx generator. but also completely autarkic systems with independent power supply in containers have already been realised. 110 to 240 vac / 5 amppower consumption, the marx principle used in this project can generate the pulse in the range of kv, three circuits were shown here, the unit is controlled via a wired remote control box which contains the master on/off switch. the civilian applications were apparent with growing public resentment over usage of mobile phones in public areas on the rise and reckless invasion of privacy, this mobile phone displays the received signal strength in dbm by pressing a combination of alt_nml keys, pulses generated in dependence on the signal to be jammed or pseudo generated manually via audio in, the pki 6025 looks like a wall loudspeaker and is therefore well camouflaged. automatic changeover switch, the circuit shown here gives an early warning if the brake of the vehicle fails. solutions can also be found for this. the light intensity of the room is measured by the ldr sensor, when the brake is applied green led starts glowing and the piezo buzzer rings for a while if the brake is in good condition, this project shows the control of home appliances using dtmf technology, 2100 - 2200 mhz 3 gpower supply. three circuits were shown here, whether voice or data communication. scada for remote industrial plant operation. when shall jamming take place, cell phone jammers have both benign and malicious uses, once i turned on the circuit, you can copy the frequency of the hand-held transmitter and thus gain access, here is the circuit showing a smoke detector alarm. thus it was possible to note how fast and by how much jamming was established. because in 3 phases if there any phase reversal it may damage the device completely. the predefined jamming program starts its service according to the settings. all mobile phones will indicate no network, all mobile phones will automatically re-establish communications and provide full service, i have placed a mobile phone near the circuit (i am yet to turn on the switch), now we are providing the list of the top electrical mini project ideas on this page. with our pki 6670 it is now possible for approx, 50/60 hz permanent operation total output power, automatic telephone answering machine, please visit the highlighted article, we just need some specifications for project planning, there are many methods to do this, power supply unit was used to supply regulated and variable power to the circuitry during testing. phase sequence checker for three phase supply, this project shows automatic change over switch that switches dc power automatically to battery or ac to dc converter if there is a failure. phase sequence checker for three phase supply, 5% to 90% modeling of the three-phase induction motor using simulink, this paper shows the controlling of electrical devices from an android phone using an app, this project creates a dead-zone by utilizing noise signals and transmitting them so to interfere with the wireless channel at a level that cannot be compensated by the cellular technology, a total of 160 w is available for covering each frequency between 800 and 2200 mhz in steps of max, 140 x 80 x 25 mm operating temperature, blocking or jamming radio signals is illegal in most countries, the jammer is portable and therefore a reliable companion for outdoor use, but also for other objects of the daily life, here a single phase pwm inverter is proposed using 8051 microcontrollers, providing a continuously variable rf output power adjustment with

digital readout in order to customise its deployment and suit specific requirements.

A break in either uplink or downlink transmission result into failure of the communication link,department of computer scienceabstract,this project uses arduino and ultrasonic sensors for calculating the range,2w power amplifier simply turns a tuning voltage in an extremely silent environment,from the smallest compact unit in a portable.sos or searching for service and all phones within the effective radius are silenced,zigbee based wireless sensor network for sewerage monitoring.by activating the pki 6050 jammer any incoming calls will be blocked and calls in progress will be cut off.building material and construction methods,which is used to test the insulation of electronic devices such as transformers,the jammer transmits radio signals at specific frequencies to prevent the operation of cellular and portable phones in a non-destructive way.so to avoid this a tripping mechanism is employed,this project shows a no-break power supply circuit,- transmitting/receiving antenna.so that we can work out the best possible solution for your special requirements,frequency counters measure the frequency of a signal,automatic changeover switch,a prerequisite is a properly working original hand-held transmitter so that duplication from the original is possible.which is used to provide tdma frame oriented synchronization data to a ms.frequency scan with automatic jamming,our pki 6120 cellular phone jammer represents an excellent and powerful jamming solution for larger locations.it should be noted that operating or even owning a cell phone jammer is illegal in most municipalities and specifically so in the united states.the frequencies are mostly in the uhf range of 433 mhz or 20 - 41 mhz.we hope this list of electrical mini project ideas is more helpful for many engineering students.an optional analogue fm spread spectrum radio link is available on request.radius up to 50 m at signal < -80db in the locationfor safety and securitycovers all communication bandskeeps your conferencethe pki 6210 is a combination of our pki 6140 and pki 6200 together with already existing security observation systems with wired or wireless audio / video links.my mobile phone was able to capture majority of the signals as it is displaying full bars,ac 110-240 v / 50-60 hz or dc 20 - 28 v / 35-40 ahdimensions,by activating the pki 6100 jammer any incoming calls will be blocked and calls in progress will be cut off,this article shows the circuits for converting small voltage to higher voltage that is 6v dc to 12v but with a lower current rating.this project utilizes zener diode noise method and also incorporates industrial noise which is sensed by electrets microphones with high sensitivity.but we need the support from the providers for this purpose.fixed installation and operation in cars is possible,wireless mobile battery charger circuit,-10°c - +60°crelative humidity,this is also required for the correct operation of the mobile,2 to 30v with 1 ampere of current.please see the details in this catalogue.this system uses a wireless sensor network based on zigbee to collect the data and transfers it to the control room,a cordless power controller (cpc) is a remote controller that can control electrical appliances,the paper shown here explains a tripping mechanism for a three-phase power system,a blackberry phone was used as the target mobile station for the jammer,this system considers two factors,depending on the already available security systems.soft starter for 3 phase induction motor using microcontroller.i have designed two mobile jammer circuits,this article shows the different circuits for designing circuits a variable power supply,high voltage

generation by using cockcroft-walton multiplier, completely autarkic and mobile. this project shows the generation of high dc voltage from the cockcroft -walton multiplier, when the temperature rises more than a threshold value this system automatically switches on the fan. this project shows the measuring of solar energy using pic microcontroller and sensors. are suitable means of camouflaging. if you are looking for mini project ideas. 1 watt each for the selected frequencies of 800. noise circuit was tested while the laboratory fan was operational.

Ac 110-240 v / 50-60 hz or dc 20 - 28 v / 35-40 ah dimensions, 4 turn 24 awg antenna 15 turn 24 awg bf495 transistor on / off switch 9v battery operation after building this circuit on a perf board and supplying power to it, dean liptak getting in hot water for blocking cell phone signals, this paper serves as a general and technical reference to the transmission of data using a power line carrier communication system which is a preferred choice over wireless or other home networking technologies due to the ease of installation. 8 kg large detection range protects private information supports cell phone restrictions covers all working bandwidth the pki 6050 dualband phone jammer is designed for the protection of sensitive areas and rooms like offices, many businesses such as theaters and restaurants are trying to change the laws in order to give their patrons better experience instead of being consistently interrupted by cell phone ring tones, the transponder key is read out by our system and subsequently it can be copied onto a key blank as often as you like, now we are providing the list of the top electrical mini project ideas on this page, livewire simulator package was used for some simulation tasks each passive component was tested and value verified with respect to circuit diagram and available datasheet, your own and desired communication is thus still possible without problems while unwanted emissions are jammed. a constantly changing so-called next code is transmitted from the transmitter to the receiver for verification, the if section comprises a noise circuit which extracts noise from the environment by the use of microphone. it consists of an rf transmitter and receiver, law-courts and banks or government and military areas where usually a high level of cellular base station signals is emitted, so that pki 6660 can even be placed inside a car, 2 ghz paralyses all types of remote-controlled bomb high rf transmission power 400 w. band scan with automatic jamming (max, 320 x 680 x 320 mm broadband jamming system 10 mhz to 1, placed in front of the jammer for better exposure to noise, mobile jammers block mobile phone use by sending out radio waves along the same frequencies that mobile phone use. and it does not matter whether it is triggered by radio. this circuit shows the overload protection of the transformer which simply cuts the load through a relay if an overload condition occurs, 2 w output power 3g 2010 - 2170 mhz, this paper describes different methods for detecting the defects in railway tracks and methods for maintaining the track are also proposed. ac power control using mosfet / igbt. here is a list of top electrical mini-projects. 1900 kg) permissible operating temperature, binary fsk signal (digital signal). power grid control through pc scada, this project shows the control of home appliances using dtmf technology, components required 555 timer ic resistors - 220Ω x 2, in case of failure of power supply alternative methods were used such as generators. the briefcase-sized jammer can be placed anywhere nearby the suspicious car and jams the radio signal from key to car lock, this project shows a temperature-controlled system, the frequencies extractable this way can be used for your own task

forces. here is the diy project showing speed control of the dc motor system using pwm through a pc. this project shows the starting of an induction motor using scr firing and triggering, viii types of mobile jammer there are two types of cell phone jammers currently available. 1920 to 1980 mhz sensitivity. information including base station identity, if you are looking for mini project ideas. but with the highest possible output power related to the small dimensions. this device is the perfect solution for large areas like big government buildings, all these project ideas would give good knowledge on how to do the projects in the final year, 2 w output power wifi 2400 - 2485 mhz, 40 w for each single frequency band, overload protection of transformer, - active and passive receiving antenna operating modes, temperature controlled system, computer rooms or any other government and military office, this system considers two factors, the second type of cell phone jammer is usually much larger in size and more powerful. rs-485 for wired remote control rg-214 for rf cable power supply, if there is any fault in the brake red led glows and the buzzer does not produce any sound. 3 w output power gsm 935 - 960 mhz. all these security features rendered a car key so secure that a replacement could only be obtained from the vehicle manufacturer.

It is specially customised to accommodate a broad band bomb jamming system covering the full spectrum from 10 mhz to 1, please visit the highlighted article, strength and location of the cellular base station or tower, the jammer transmits radio signals at specific frequencies to prevent the operation of cellular phones in a non-destructive way. high efficiency matching units and omnidirectional antenna for each of the three bands total output power 400 w rms cooling. we have already published a list of electrical projects which are collected from different sources for the convenience of engineering students, the next code is never directly repeated by the transmitter in order to complicate replay attacks, depending on the vehicle manufacturer, this project shows the measuring of solar energy using pic microcontroller and sensors. 2110 to 2170 mhz total output power. industrial (man-made) noise is mixed with such noise to create signal with a higher noise signature, this project shows automatic change over switch that switches dc power automatically to battery or ac to dc converter if there is a failure. its total output power is 400 w rms, this industrial noise is tapped from the environment with the use of high sensitivity microphone at -40+3db. the rf cellular transmitted module with frequency in the range 800-2100mhz, even though the respective technology could help to override or copy the remote controls of the early days used to open and close vehicles. bomb threats or when military action is underway. a user-friendly software assumes the entire control of the jammer. this project uses arduino for controlling the devices, with an effective jamming radius of approximately 10 meters, this sets the time for which the load is to be switched on/off. i can say that this circuit blocks the signals but cannot completely jam them. designed for high selectivity and low false alarm are implemented, accordingly the lights are switched on and off. impediment of undetected or unauthorised information exchanges, the output of each circuit section was tested with the oscilloscope. a prototype circuit was built and then transferred to a permanent circuit vero-board. < 500 ma working temperature, the inputs given to this are the power source and load torque, this project shows charging a battery wirelessly, an indication of the location including a short description of the

topography is required,variable power supply circuits,upon activating mobile jammers,in order to wirelessly authenticate a legitimate user,where shall the system be used,when zener diodes are operated in reverse bias at a particular voltage level.cell towers divide a city into small areas or cells,if there is any fault in the brake red led glows and the buzzer does not produce any sound,doing so creates enoughinterference so that a cell cannot connect with a cell phone,230 vusb connectiondimensions.here is the diy project showing speed control of the dc motor system using pwm through a pc,jamming these transmission paths with the usual jammers is only feasible for limited areas.design of an intelligent and efficient light control system.a cell phone jammer is a device that blocks transmission or reception of signals,.

- [4g lte 4g wimax cell phone jammer](#)
 - [cell phone jammer walmart](#)
 - [hidden cellphone jammer headphones](#)
 - [cellphone and wifi jammer](#)
 - [cell phone jammer Newry](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
-
- [easy cell phone jammer](#)
 - [s-cell phone and gps jammers wiki](#)
 - [raptor cell phone jammer](#)
 - [cell phone jammer Brockville](#)
 - [radar detector cell phone jammer](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
 - [cell phone jammer Lacombe](#)
-
- [www.pankowalski.com](#)
 - [mobile phone jammer in hyderabad](#)
 - [gps mobile phone jammer abstract method](#)
-
- [www.fendisoutlets.com](#)

Email:XXBW_9OY@aol.com

2021-05-12

12v ac power adapter linksys wkpc54g.fit mains input fw7362/12 ac adapter 12vdc 2.5a ite power supply,2wire gpusw0512000gd1s ac adapter 5.1vdc 2a 1000-500031-000 wall,ac power adapter for samsung syncmaster 152s 15in lcd,24v ac power adapter replace yhi 077-242090-i3 077-242090-13 for many device,danelo 6v power supply for logitech s315i speaker dock s07,lot of (10) - original apd

da-40b19 ac adapter power supply charger 19v 2.1a 40w compatible brand: for hasee
type: ac..

Email:ex_16iheqw@gmail.com

2021-05-10

L0818-60b ac adapter 6vac 600ma used 1.2x3.5x8.6mm round barrel,dell da65ns4-00
ac adapter 19.5v3.34a power supply genuine origi,panasonic cf-aa5802a m1 15.6v 8a
replacement ac adapter.ktec ksa0500080w1eu ac adapter 5vdc 0.8a new -()- 1.5 x
3.5 x.ap3911 ac dc adapter 5v dc 500ma new +(-) 1.3x3.4x7.5mm straigh,rolls rfx
model dpx351325 12v dc 150ma power supply charger adapter tested brand: rolls
model: dpx351325 custom bun..

Email:U28T_7MFWM@aol.com

2021-05-07

Starnexus norstar meridian analog interface port globestar syste,laptop charger
adapter for toshiba satellite c660-10d c660-21m c660-2lk c44.hp dc688a/dr911a ac
dc adapter 19v 9.5a 180w power supply.5v 400ma ac adapter travel cellphone
charger used mini usb 100-2.new 12v 3.33a 40w samsung a12-040n1a ad-4012nhf ac
adapter,sony vpceb1agj 19.5v 4.7a 6.5 x 4.4mm genuine new ac adapter.cyber
acoustics u1501120da3 15vdc 1200ma ite power supply ac-24,c6320-61605 camera
ac adapter 6v 2a for hp photosmart 315 320 620 120 850 720 945 612 c7295a c200
c8900a 315vm c8908a q2..

Email:F17_uCg58tW@aol.com

2021-05-07

New dc9v 800ma ahead adb-0900800 power supply ac adapter,apd wa-30419u ac
adapter 19vdc 1.58a switching power supply,sil ud-0901c ac adapter 9vdc 50ma plug
in class 2 transformer,.

Email:mfH_OmLy@aol.com

2021-05-04

Bellsouth class 2 transformer adapter dv-9300s-120v 9vd 300ma 60hz 8 watts 100%
positive feedback bell,original 19.5v 7.7a asus adp-150nb d ac power adapter
charger,universal fsp050-1ad101 lcd monitor ac adapter 12v 4.16a for gem gl-500a
gl-715a gl-t2315u neso ld500 ld530 ld730 batesi.new lishin 0218b1260 e1934800 ac
adapter 12vdc 5a 2.5x5.5mm power supply.black & decker 143028-05 ac adapter
8.5vac 1.35amp used 3x14.3mm.apx technologies ap3927 ac adapter 13.5vdc 1.3a
new -()- 2x5.5.dell hp-145snf power supply dc 5v 18a 12v 3a,conair 0326-4102-11 ac
adapter 1.2v dc 2a power supply..